



# ENERGY DAILY

the power of earth and beyond

▶ [Ads by Google](#) [Pipe Cleaning](#) [Air Cleaning](#) [Gas to Liquid](#) [Energy Oil](#)

Send One person recommends

Get Our Free Newsletters Via Email

your email address

[Buy Advertising](#) [Editorial Enquiries](#)

## ENERGY TECH

# The use of acoustic inversion to estimate the bubble size distribution in pipelines

by Staff Writers  
[Southampton](#) UK (SPX) May 21, 2012

New [research](#) from the University of Southampton has devised a new method to more accurately measure gas bubbles in pipelines. The ability to measure gas bubbles in pipelines is vital to the manufacturing, power and petrochemical industries.

In the case of harvesting petrochemicals from the seabed, warning of bubbles present in the crude that is being harvested is crucial because otherwise when these bubbles are brought up from the seabed (where pressure is very high) to the surface where the rig is, the reduction in pressure causes these bubbles to expand and causes 'blow out'.

A blow out is the sudden release of oil and/or gas from a well and issues with the blow out preventer were key in Deepwater Horizon oil [spill](#) (also known as the Macondo blowout) in the Gulf of Mexico in 2010.

Currently, the most popular technique for estimating the gas bubble size distribution (BSD) is to send sound waves through the bubble liquid and [compare](#) the measured attenuation of the sound wave (loss in amplitude as it propagates) with that predicted by theory.

[The key](#) problem is that the theory assumes that the bubbles exist in an infinite body of liquid. In fact the bubbles are in a pipe, then the assumptions of the theory do not match the conditions of the experiment. That could lead to errors in the estimation of the bubble population.

Now, a team led by Professor Tim Leighton from the Institute of Sound and Vibration Research at the University of Southampton, has devised a new method, which takes into [account](#) that bubbles exist in a pipe.




Professor Tim Leighton is from the Institute of Sound and Vibration Research at the University of Southampton. Credit: University of Southampton.

▶

Short-term loans of up to **£1500+** sent within **10 minutes** of approval<sup>®</sup>

Save **25%** with promo code **QUICK25**

QuickQuid.co.uk<sup>™</sup>

 Professor Leighton and his team (Post-doctoral research fellows Kyungmin Baik and Jian Jiang) were commissioned to undertake the work as part of an ongoing [programme](#) to devise ways of more accurately estimating the BSD for the mercury-filled steel pipelines of the [target](#) test facility (TTF) of the \$1.4 billion Spallation Neutron Source (SNS) at Oak Ridge National Laboratory, Tennessee, USA one of the most powerful pulsed neutron sources in the world.

The research, which is presented in the Royal Society journal Proceedings of the Royal Society A, explores how measured phase [speeds](#) and attenuations in bubbly liquid in a pipe might be inverted to estimate the BSD (which was independently measured using an optical technique). This new technique, appropriate for pipelines such as TTF, gives good BSD estimations if the frequency range is sufficiently broad.

Professor Leighton says: "The SNS facility was built with the expectation that every so often it would need to be shut down and the now highly radioactive container of the mercury replaced by a new one, because its steel embrittles from radiation damage.

However, because the proton beam impacts the mercury and generates shock waves, which cause cavitation bubbles to collapse in the mercury and erode the steel, the [replacement](#) may need to be more often than originally planned at full operating power. Indeed, achieving full [design](#) power is in jeopardy.

"With downtime associated with unplanned container replacement worth around \$12 million, engineers at the facility are considering introducing helium bubbles, of the correct size and number, into the mercury to help absorb the shock waves before they hit the wall, so that the cavitation bubbles do not erode the steel.

Oak Ridge National Laboratory (ORNL) and the [Science](#) and Facilities Research Council (Rutherford Appleton Laboratory, RAL) commissioned us as part of their programme to devise instruments to check that their bubble generators can deliver the correct number and size of bubbles to the location where they will protect the pipelines from erosion.

"This paper reports on the method we devised half-way through the research contract. It works, but just after we designed it the 2008 global financial crash occurred, and [funds](#) were no longer available to build the [device](#) into the mercury pipelines of ORNL.

"A more affordable solution had to be found, which is what we are now working on. The [original design](#) has been put on hold for when the world is in a healthier financial state. This has been a fantastic opportunity to work with nuclear [scientists](#) and engineers from ORNL and RAL."

**Related Links**

- [University of Southampton](#)
- [SNS](#)
- [Powering The World in the 21st Century at Energy-Daily.com](#)

One person recommends



**Comment on this article via your Facebook, Yahoo, AOL, Hotmail login.**

Share this article via these popular social media networks



[Ads by Google](#) [Pipe Cleaning](#) [Air Cleaning](#) [Gas to Liquid](#) [Energy Oil](#)

#### ENERGY TECH

### Beijing keeps busy with maritime disputes

Beijing (UPI) May 18, 2012

As China reiterated to the Philippines its claim to the Scarborough Shoal, officials were working with North Korea to diffuse another fishing crisis. Huangyan Island, as Scarborough Shoal is known in China, is an inherent part of Chinese territory, Chinese Foreign Ministry spokesman Hong Lei said. However, China stands ready to find a diplomatic solution to the standoff over the ... [read more](#)



#### ENERGY DAILY

Japan urges lower energy use amid shortage fears

A practical guide to green products and services

The quick and easy way to measure power consumption

China posed for carbon emissions scheme

#### ENERGY TECH

Oxygen-separation membranes could aid in CO2 reduction

Major Push To Clean Up Shale Gas Fracking

Researchers Solve Tuning Problem For Wireless Power Transfer Systems

The use of acoustic inversion to estimate the bubble size distribution in pipelines

#### WIND DAILY

US DoI Approves Ocotillo Express Wind Project

Opening Day Draws Close for Janneby Wind Testing Site

NASA Satellite Measurements Imply Texas Wind Farm Impact on Surface Temperature

Scientists find night-warming effect over large wind farms in Texas

#### SOLAR DAILY

New DuPont Solamet PV51G Provides Better Adhesion

Hanwha Solar Launches Three New Modules at SNEC Power Expo 2012

First Light Technologies launches WLB Series Solar LED Bollard

Westinghouse Solar and CBD Energy Sign Definitive Merger Agreement

#### CIVIL NUCLEAR

US nuclear chief resigns after safety spat

AREVA and Mitsubishi partner in mining exploration

Japan to control up to 76% of TEPCO voting rights

S. Korea nuclear contractor jailed for parts scam

#### BIO FUEL DAILY

Maps of Miscanthus genome offer insight into grass evolution

Relative reference: Foxtail millet offers clues for assembling the switchgrass genome

Lawrence Livermore work may improve the efficiency of the biofuel production cycle

Discovery of plant proteins may boost agricultural yields and biofuel production

#### DRAGON SPACE

Shenzhou 9 to be ready for mid-June launch?

China confirms plans to build own orbital station

Building a Heavenly Palace in outer space

Long March-2F rocket delivered to launch center

#### CLIMATE SCIENCE

Cattle dying, fields scorched as drought strikes Senegal

'Citizen science' tracking climate change

Measuring CO2 to fight global warming

UN talks take first steps on 2015 climate deal



[Tempur-Pedic  
Mattress  
Comparison](#)

[SPACE MEDIA NETWORK PROMOTIONS](#)

[Solar Energy Solutions](#)

[Memory Foam Mattress Review](#)

**Newsletters :: SpaceDaily Express :: SpaceWar Express ::  
TerraDaily Express :: Energy Daily  
XML Feeds :: Space News :: Earth News :: War News :: Solar  
Energy News**

The content herein, unless otherwise known to be public domain, are Copyright 1995-2012 - Space Media Network. AFP, UPI and IANS news wire stories are copyright Agence France-Presse, United Press International and Indo-Asia News Service. ESA Portal Reports are copyright European Space Agency. All NASA sourced material is public domain. Additional copyrights may apply in whole or part to other bona fide parties. Advertising does not imply endorsement, agreement or approval of any opinions, statements or information provided by Space Media Network on any Web page published or hosted by Space Media Network. [Privacy Statement](#)